
No.



8800159

ARTER DVIRIED ENFARER OFFERMERS OFF

TO ALL TO WHOM THESE; PRESENTS SHALL COME;

Pioneer Bi-Bred International, Inc.

Willierens, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF Eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT ARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT

SOYBEAN

'9161'

In Testimony Waterrot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D. C. this 30th day of December in the year of our Lord one thousand nine hundred and eighty-eight.

Attost:

Kenneth & Evans

Commissioner

Plant Variety Protection Office Agricultural Marketing Service

Socretary of Agriculture

U.S. DEPARTA	MENT OF AGRICUL	TURE	FOR	M APPROVE	D: OMB NO, 0681-0056			
APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE					Application is required in order to determinif a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued.			
1. NAME OF APPLICANT(S)	ctions on reverse)			S.C. 2426).				
		2. TEMPORARY DESIGNATION	3. V	ARIETY NAI	Λ Ε			
Pioneer Hi-Bred Internation				9161				
4. ADDRESS (Street and No. or R.F.D. No., City 700 Capital Square	, State, and Zip Code	5. PHONE (Include area code)	PVP	FOR OFFIC	IAL USE ONLY			
400 Locust Street Des Moines, IA 50309		319-234-0335			00159			
6. GENUS AND SPECIES NAME	! .	AME (Botanical)	g	DATE	201000			
Glycine Max	Legumin	osae	FILING	TIME 9:30	2 <u>0,1988</u> Ta.m.]p.m.			
8. KIND NAME		DATE OF DETERMINATION		AMOUNT F				
Soybean		October, 1982 January, 1986 (Inc	re sa	\$ 1800	<u> </u>			
10. IF THE APPLICANT NAMED IS NOT A "PE	RSON." GIVE FORM	A OF ORGANIZATION (Corporat	- S		OR CERTIFICATE			
partnership, association, etc.)			E. 83	\$200	oò			
Corporation			"	DATE	201980			
11. IF INCORPORATED, GIVE STATE OF INCO	PRPORATION		12, 0	DATE OF INC	ORPORATION			
13. NAME AND ADDRESS OF APPLICANT REP	RESENTATIVE(S).	IF ANY, TO SERVE IN THIS API	LICATIO	N, AND RECE	IVE ALL PAPERS			
Clark W. Jennings		Mary Helen Mit			met Stroot			
3261 West Airline Highway Waterloo, IA 50703		700 Capital Sq Des Moines, IA		_	ust street			
Water 100, 1A 30703		PHONE (Include		-				
14. CHECK APPROPRIATE BOX FOR EACH AT	TACHMENT SUBMI	TTED						
 a. XX b. XX Exhibit A, Origin and Breeding Histor b. XX Exhibit B, Novelty Statement. 	y of the Variety (See	e Section 52 of the Plant Variety	Protection	Act.)				
c. 🛛 Exhibit C, Objective Description of Va	ariety (Request form	from Plant Variety Protection C	ffice.)					
d. Exhibit D, Additional Description of V								
e. KX Exhibit E, Statement of the Basis of A 15. DOES THE APPLICANT(S) SPECIFY THAT S SEED? (See Section 83(a) of the Plant Variety	EED OF THIS VAR							
16. DOES THE APPLICANT(S) SPECIFY THAT T	HIS VARIETY BE	17. IF "YES" TO ITEM 10	s, WHICH					
LIMITED AS TO NUMBER OF GENERATION	457	BEYOND BREEDERS	_		П а стеры			
18. DID THE APPLICANT(S) PREVIOUSLY FE	LE FOR PROTECT	ION OF THE VARIETY IN THE	<u> </u>	gistered	Certified			
				□ Y	s (If "Yes," give date)			
				<u> </u>	lo			
19. HAS THE VARIETY BEEN RELEASED, OFF	ERED FOR SALE.	OR MARKETED IN THE U.S. (OR OTHE	[] Y	ES 7 'es (If "Yes," give names f countries and dates)			
				∤ ⊠ №	ia			
20. The applicant(s) declare(s) that a viable sa plenished upon request in accordance with	mple of basic seed such regulations :	s of this variety will be furnish as may be applicable.	ed with t	he applicati	on and will be re-			
The undersigned applicant(s) is (are) the o distinct, uniform, and stable as required in Variety Protection Act.								
Applicant(s) is (are) informed that false re	presentation herei	n can jeopardize protection an	d result i	n penalties.				
SIGNATURE OF APPLICANT			0/	TE				
Clark Jennings				May .	10,1988			
SIGNATURE OF APPLICANT			0,	TE /				
				V	1			

Attachment: 9161 Soybean (April 1988)

evidence of variants.

Variety 9161 evolved from a cross of (S1492 x Hodgson 78) x A3127. It is an F5-derived variety which was advanced to the F5 generation by modified single-seed descent. The F6 progeny row of 9161 was grown in Iowa during the summer of 1982. Subsequently, 9161 has undergone five years of extensive testing and purification and has been observed by the breeder to be uniform and stable for all plant traits from generation to generation, with no

Seed hila of variety 9161 are light buff in color, and under certain environmental conditions may appear yellow in color. When seeds of this type are planted, they produce plants having seeds with light buff color.

Four acres of 9161 (breeders seed) were grown in 1986. 142 acres of parent seedstock (foundation seed equivalent) were grown in 1987.

Exhibit B: Variety 9161 is most similar to variety AP1776. Both varieties have purple flowers, gray pubescence, tan pods, and yellow seeds with buff hila. As compared to AP1776, variety 9161 has significantly more seeds per pound by 268 seeds (see Table 1). Also, variety 9161 has dull seed coat luster whereas AP1776 has shiny seed coat luster.

Exhibit E: Pioneer Hi-Bred International, Inc. is the sole, original, and first breeder of soybean variety 9161, for which it solicits a certificate of protection.

Table 1. Paired Comparison (Seeds per Pound) 1987 Data

	REP	9161(x ₁)	AP1776(X ₂)	1	(X ₁ -X ₂)	$(X_1 - X_2)^2$
	1	3,302	3,006	1	296	87,616
	2	3,204	3,062		142	20,164
. "	3	3,428	3,136	1	292	85,264
	4	3,178	2,836	1	342	116,964
	TOTAL	13,112	12,040		1,072	310,008
	MEAN	3,278	3,010	1		

n = 4

$$s_{d} = \frac{310,008 - [(1072)^{2}/4]}{4(3)} = 43.5$$

$$t = 3278-3010 = 6.16 ** for 3 df$$

(.05) 43.5

EXHIBIT C

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY

SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Pioneer Hi-Bred International, Inc.].	9161
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Cod		FOR OFFICIAL USE ONLY
700 Capital Square	ı	PVPO NUMBER
400 Locust Street		
Des Moines, IA 50309		8800159
Choose the appropriate response which characterizes the var in your answer is fewer than the number of boxes provided,	iety in the features described b place a zero in the first box wh	elow. When the number of significant digits en number is 9 or less (e.g., 0 9).
1. SEED SHAPE:	· ·	
[L] w	T	
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)		_/W ratio > 1.2; E/T ratio = < 1.2) /T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)		
1	4 - Divil	
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other (S	pecity/
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)	,	
· : [
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso	y'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		
1 4 Grams per 100 seeds	•	
5. HILUM COLOR: (Mature Seed)		
1 = Buff 2 = Yellow 3 = Brown 4	= Gray 5 = Imperfect Black	6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
2 1 = Low 2 = High		
8. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)		
9. HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis') 2 = Green with 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'G	bronze band below cotyledons ("Wo	podworth"; "Tracy")
10. LEAFLET SHAPE:		
3		
3 - Covate 2 - Ovat 3 - Ovate	4 = Other (Specify)	4

FORM LMGS-470-57 (2-82)

11. LE	AFLET SIZE:	
	2 = Medium ("Corsoy 79"; "Gasoy 17") 3 = Large ("Crawford"; "Tracy")	
12. LE	AF COLOR:	_
	2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')	
13. FL	OWER COLOR:	-
	2 1 * White 2 = Purple 3 = White with purple throat	
14. POD	COLOR:	_
	1 1 = Tan 2 = Brown 3 = Black	
15. PLA	NT PUBESCENCE COLOR:	
	1 = Gray 2 = Brown (Tawny)	
16. PLA	NT TYPES:	_
2	1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')	
17. PLAN	IT HABIT:	-
3	3 - Indeterminate (Neosoy : Improved Pelican)	
18. MATU	JRITY GROUP:	
0 4	1 = 000	
19. DISEA	SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)	_
	TERIAL DISEASES:	
	Bacterial Pustule (Xanthomonas phaseoli var. sojensis)	
0	Bacterial Blight (Pseudomonas glycinea)	
0	Wildfire (Pseudomonas tabaci)	
FUNGA	AL DISEASES:	
0	Brown Spat (Septoria glycines)	
0	Frogeye Leaf Spot (Cercospora sojina) Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5 Other (Specify)	
Lo	Target Spot (Corynespora cassiicola)	_
0	Downy Mildew (Peronospora trifoliorum var. manshurica)	
0	Powdery Mildew (Microsphaera diffusa)	
	Brown Stem Rot (Cephalosporium gregatum)	
	Stem Canker (Diaporthe phaseolorum var. caulivoral	

19. DISEASE REACT	10N: (Enter 0 = Not Tested; 1 = Susceptible	2 = Resistant) (Continued)	
FUNGAL DISE	ASES: (Continued)		
0 Pool and	Stem Blight <i>(Diaporthe phaseolorum var; soja</i>	; e)	
	ed Stain (Cercospora kikuchii)		
0 Rhizocto	nia Root Rot <i>(Rhizoctonia solani)</i>		
Phytopht	hora Rot (Phytophthora megasperma var. soja	se)	
Race 1		O Race 4 O Race	5 0 Race 6 0 Race 7
O Race 8	Other (Specify	·/	
VIRAL DISEASI	ES:		
0 Bud Blight	t (Tobacco Ringspot Virus)		
	osaic (Bean Yellow Mosaic Virus)		
	osaic (Cowpea Chlorotic Virus)		
	: (Bean Pod Mottle Virus)		
	e (Soybean Mosaic Virus)		
NEMATODE DIS			
	yst Nematode (Heterodera glycines)	a —	
O Race 1	U Race 2 U Race 3	U Race 4 Other	(Specify)
	atode (Hopiciaimus Colombus)		
300thern At	oot Knot Nematode (Meloidogyne incognita)		
	oot Knot Nematode (Meloidogyne Hapla)	•	
Peanut Root	t Knot Nematode (Meloidogyne arenaria)		
Reniform Ne	ematode (Rotylenchulus reniformis)		
OTHER DIS	SEASE NOT ON FORM (Specify):		
20 PHYSIOLOGICAL PE	ECDONICEO. (E O		
	ESPONSES: (Enter 0 = Not Tested; 1 = Susci	eptible; 2 = Resistant)	
	is on Calcareous Soil		
	fy)		
21. INSECT REACTION:	(Enter 0 = Not Tested; 1 = Susceptible; 2 = 1	Resistant)	
Mexican Bear	n Beetle (Epilachna varivestis)		
O Potato Leaf H	Hopper (Empoasca labae)		
Other (Specif	y)		
22. INDICATE WHICH VA	ARIETY MOST CLOSELY RESEMBLES THA	AT SUBMITTED	
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant Shape	AP1776	Seed Coat Luster	1677
Leaf Shape	AP1776	Seed Size	1677
Leaf Color	AP1776	Seed Shape	AP1776
Leaf Size	Hodgson 78	Seedling Pigmentation	Hodgson 78

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comperison Data

VARIETY	NO. OF DAYS	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
	MATURITY			CM Width	CM Length	% Protein	% Oil	SEEDS	POD
9161 Submitted	23	1.9	82	-	-	<u> </u>	-	13.8	-
AP1776 Name of Similar Variety	24	2.6	84		-	_	_	15.0	

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.